

STAINLESS STEEL STRAINER BASKET



Size : DN 3/8" to 4"
Ends : Male BSP
Min Temperature : - 20°C (For all stainless steel type)
Max Temperature : + 150°C (For all stainless steel type)
Specifications : Threaded nylon or stainless steel

Materials : Stainless steel strainer

STAINLESS STEEL STRAINER BASKET

SPECIFICATIONS :

- Nylon or stainless steel threaded
- Male BSP ends

USE :

- For all common fluids
- Min and max Temperature Ts : - 20°C to +150°C for all stainless steel type **Ref.391**
- Min and max Temperature Ts : -10°C to +110°C for nylon threaded with stainless steel type **Ref.392**

RANGE :

- BSP male threaded, all stainless steel from DN 3/8" to DN 4" **Ref.391**
- BSP male threaded, nylon threaded and stainless steel strainer from DN 3/8" to DN 4" **Ref.392**


MATERIALS :



Item	Designation	Materials Ref.391	Materials Ref.392
1	Threaded	SS 316	Nylon
2	Mesh	SS 316	SS 304


STAINLESS STEEL STRAINER BASKET

SIZE ALL STAINLESS STEEL TYPE REF.391 (in mm) :



Ref.	DN	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
391	H	51	55	62	69	80	89	101	114	126	144
	Ø A	21	23	29	37	44	49	61	80	96	116
	Mesh	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.5	1.5	2
	Weight (Kg)	0.011	0.015	0.025	0.037	0.055	0.067	0.084	0.135	0.169	0.243

SIZE NYLON THREADED WITH STAINLESS STEEL STRAINER TYPE REF.392 (in mm) :



Ref.	DN	3/8"	1/2"	3/4"	1"	1"1/4	1"1/2	2"	2"1/2	3"	4"
392	H	49	50	57	63	68	79	95	96	113	128
	Ø A	24	28	32	41	50	55	67	86	99	122
	Mesh	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.5	1.5	2
	Weight (Kg)	0.008	0.010	0.017	0.025	0.034	0.042	0.064	0.095	0.130	0.168

STAINLESS STEEL STRAINER BASKET

STANDARDS :

- Fabrication according to ISO 9001 :2000
- DIRECTIVE 97/23/CE : Products excluded from directive (article 1, § 3.2)
- Threaded male BSP cylindrical ends according to ISO 228-1

ADVICE : Our opinion and our advice are not guaranteed and SFERACO shall not be liable for the consequences of damages. The customer must check the right choice of the products with the real service conditions.