

## Pompy Grundfos TPE

Nr wyrobu	Nazwa wyrobu	Faza	U [V]			f [Hz]	P(kW)	Obr	-	-	-
96110307	TPE 100-160/2	3	380-480	50	4	2920	A	F	B	BAQE	Brąz
96110293	TPE 100-160/2	3	380-480	50	4	2920	A	F	A	BQQE	Żeliwo szare
96110308	TPE 100-200/2	3	380-480	50	5.5	2920	A	F	B	BAQE	Brąz
96110294	TPE 100-200/2	3	380-480	50	5.5	2920	A	F	A	BQQE	Żeliwo szare
96110295	TPE 100-240/2	3	380-480	50	7.5	2910	A	F	A	BQQE	Żeliwo szare
96110309	TPE 100-240/2	3	380-480	50	7.5	2910	A	F	B	BAQE	Brąz
96110289	TPE 100-250/2	3	380-480	50	11	2930	A	F	A	GQQE	Żeliwo szare
96110296	TPE 100-250/2	3	380-480	50	11	2930	A	F	A	BQQE	Żeliwo szare
96110297	TPE 100-310/2	3	380-480	50	15	2945	A	F	A	BQQE	Żeliwo szare
96110290	TPE 100-310/2	3	380-480	50	15	2945	A	F	A	GQQE	Żeliwo szare
96110298	TPE 100-360/2	3	380-480	50	18.5	2940	A	F	A	BQQE	Żeliwo szare
96110291	TPE 100-360/2	3	380-480	50	18.5	2940	A	F	A	GQQE	Żeliwo szare
96110292	TPE 100-390/2	3	380-480	50	22	2945	A	F	A	GQQE	Żeliwo szare
96110299	TPE 100-390/2	3	380-480	50	22	2945	A	F	A	BQQE	Żeliwo szare
96110219	TPE 80-170/4	3	380-480	50	4	1455	A	F	B	BQQE	Brąz
96110220	TPE 80-240/4	3	380-480	50	5.5	1455	A	F	B	BQQE	Brąz
96110222	TPE 80-340/4	3	380-480	50	11	1460	A	F	B	BQQE	Brąz
96110286	TPE 100-160/2	3	380-480	50	4	2920	A	F	A	GQQE	Żeliwo szare
96110279	TPE 100-160/2	3	380-480	50	4	2920	A	F	A	BAQE	Żeliwo szare
96110280	TPE 100-200/2	3	380-480	50	5.5	2920	A	F	A	BAQE	Żeliwo szare
96110287	TPE 100-200/2	3	380-480	50	5.5	2920	A	F	A	GQQE	Żeliwo szare
96110281	TPE 100-240/2	3	380-480	50	7.5	2910	A	F	A	BAQE	Żeliwo szare
96110288	TPE 100-240/2	3	380-480	50	7.5	2910	A	F	A	GQQE	Żeliwo szare
96110282	TPE 100-250/2	3	380-480	50	11	2930	A	F	A	BAQE	Żeliwo szare
96110283	TPE 100-310/2	3	380-480	50	15	2945	A	F	A	BAQE	Żeliwo szare
96110284	TPE 100-360/2	3	380-480	50	18.5	2940	A	F	A	BAQE	Żeliwo szare
96110327	TPE 100-390/2	3	380-480	50	22	2945	A	F	B	BQQE	Brąz
96110285	TPE 100-390/2	3	380-480	50	22	2945	A	F	A	BAQE	Żeliwo szare
96110387	TPE 100-70/4	3	380-480	50	1.5	1445	A	F	A	GQQE	Żeliwo szare
96110377	TPE 100-70/4	3	380-480	50	1.5	1445	A	F	A	BAQE	Żeliwo szare
96110378	TPE 100-90/4	3	380-480	50	2.2	1445	A	F	A	BAQE	Żeliwo szare
96110379	TPE 100-110/4	3	380-480	50	3	1455	A	F	A	BAQE	Żeliwo szare
96110380	TPE 100-130/4	3	380-480	50	4	1455	A	F	A	BAQE	Żeliwo szare
96110381	TPE 100-170/4	3	380-480	50	5.5	1455	A	F	A	BAQE	Żeliwo szare
96110323	TPE 100-240/2	3	380-480	50	7.5	2910	A	F	B	BQQE	Brąz
96110324	TPE 100-250/2	3	380-480	50	11	2930	A	F	B	BQQE	Brąz
96110383	TPE 100-250/4	3	380-480	50	11	1460	A	F	A	BAQE	Żeliwo szare
96110325	TPE 100-310/2	3	380-480	50	15	2945	A	F	B	BQQE	Brąz
96110384	TPE 100-330/4	3	380-480	50	15	1460	A	F	A	BAQE	Żeliwo szare
96110326	TPE 100-360/2	3	380-480	50	18.5	2940	A	F	B	BQQE	Brąz
96110385	TPE 100-370/4	3	380-480	50	18.5	1465	A	F	A	BAQE	Żeliwo szare
96110313	TPE 100-390/2	3	380-480	50	22	2945	A	F	B	BAQE	Brąz
96110218	TPE 80-150/4	3	380-480	50	3	1455	A	F	B	BQQE	Brąz
96110099	TPE 80-250/2	3	380-480	50	7.5	2910	A	F	B	BQQE	Brąz
96110314	TPE 100-160/2	3	380-480	50	4	2920	A	F	B	GQQE	Brąz
96110321	TPE 100-160/2	3	380-480	50	4	2920	A	F	B	BQQE	Brąz
96110315	TPE 100-200/2	3	380-480	50	5.5	2920	A	F	B	GQQE	Brąz
96110322	TPE 100-200/2	3	380-480	50	5.5	2920	A	F	B	BQQE	Brąz
96110316	TPE 100-240/2	3	380-480	50	7.5	2910	A	F	B	GQQE	Brąz
96110317	TPE 100-250/2	3	380-480	50	11	2930	A	F	B	GQQE	Brąz
96110310	TPE 100-250/2	3	380-480	50	11	2930	A	F	B	BAQE	Brąz
96110318	TPE 100-310/2	3	380-480	50	15	2945	A	F	B	GQQE	Brąz
96110311	TPE 100-310/2	3	380-480	50	15	2945	A	F	B	BAQE	Brąz
96110319	TPE 100-360/2	3	380-480	50	18.5	2940	A	F	B	GQQE	Brąz
96110312	TPE 100-360/2	3	380-480	50	18.5	2940	A	F	B	BAQE	Brąz
96110320	TPE 100-390/2	3	380-480	50	22	2945	A	F	B	GQQE	Brąz
96110168	TPE 80-90/4	3	380-480	50	1.5	1445	A	F	A	BAQE	Żeliwo szare
96110169	TPE 80-110/4	3	380-480	50	2.2	1445	A	F	A	BAQE	Żeliwo szare
96110170	TPE 80-150/4	3	380-480	50	3	1455	A	F	A	BAQE	Żeliwo szare
96110171	TPE 80-170/4	3	380-480	50	4	1455	A	F	A	BAQE	Żeliwo szare
96110096	TPE 80-180/2	3	380-480	50	3	2910	A	F	B	BQQE	Brąz
96110097	TPE 80-210/2	3	380-480	50	4	2920	A	F	B	BQQE	Brąz
96110098	TPE 80-240/2	3	380-480	50	5.5	2920	A	F	B	BQQE	Brąz
96110172	TPE 80-240/4	3	380-480	50	5.5	1455	A	F	A	BAQE	Żeliwo szare
96110100	TPE 80-330/2	3	380-480	50	11	2930	A	F	B	BQQE	Brąz
96110101	TPE 80-400/2	3	380-480	50	15	2945	A	F	B	BQQE	Brąz
96110083	TPE 80-400/2	3	380-480	50	15	2945	A	F	B	BAQE	Brąz
96110102	TPE 80-520/2	3	380-480	50	18.5	2940	A	F	B	BQQE	Brąz
96110103	TPE 80-570/2	3	380-480	50	22	2945	A	F	B	BQQE	Brąz
96110094	TPE 80-570/2	3	380-480	50	22	2945	A	F	B	GQQE	Brąz
96110087	TPE 80-180/2	3	380-480	50	3	2910	A	F	B	GQQE	Brąz
96110088	TPE 80-210/2	3	380-480	50	4	2920	A	F	B	GQQE	Brąz
96110089	TPE 80-240/2	3	380-480	50	5.5	2920	A	F	B	GQQE	Brąz
96110080	TPE 80-240/2	3	380-480	50	5.5	2920	A	F	B	BAQE	Brąz

96110204	TPE 80-240/4	3	380-480	50	5.5	1455	A	F	B	BAQE	Brąz
96110081	TPE 80-250/2	3	380-480	50	7.5	2910	A	F	B	BAQE	Brąz
96110090	TPE 80-250/2	3	380-480	50	7.5	2910	A	F	B	GQQE	Brąz
96110091	TPE 80-330/2	3	380-480	50	11	2930	A	F	B	GQQE	Brąz
96110082	TPE 80-330/2	3	380-480	50	11	2930	A	F	B	BAQE	Brąz
96110206	TPE 80-340/4	3	380-480	50	11	1460	A	F	B	BAQE	Brąz
96110092	TPE 80-400/2	3	380-480	50	15	2945	A	F	B	GQQE	Brąz
96110084	TPE 80-520/2	3	380-480	50	18.5	2940	A	F	B	BAQE	Brąz
96110093	TPE 80-520/2	3	380-480	50	18.5	2940	A	F	B	GQQE	Brąz
96110085	TPE 80-570/2	3	380-480	50	22	2945	A	F	B	BAQE	Brąz
96110216	TPE 80-90/4	3	380-480	50	1.5	1445	A	F	B	BQQE	Brąz
96110200	TPE 80-90/4	3	380-480	50	1.5	1445	A	F	B	BAQE	Brąz
96110208	TPE 80-90/4	3	380-480	50	1.5	1445	A	F	B	GQQE	Brąz
96110201	TPE 80-110/4	3	380-480	50	2.2	1445	A	F	B	BAQE	Brąz
96110209	TPE 80-110/4	3	380-480	50	2.2	1445	A	F	B	GQQE	Brąz
96110217	TPE 80-110/4	3	380-480	50	2.2	1445	A	F	B	BQQE	Brąz
96110210	TPE 80-150/4	3	380-480	50	3	1455	A	F	B	GQQE	Brąz
96110178	TPE 80-150/4	3	380-480	50	3	1455	A	F	A	GQQE	Żeliwo szare
96110202	TPE 80-150/4	3	380-480	50	3	1455	A	F	B	BAQE	Brąz
96110203	TPE 80-170/4	3	380-480	50	4	1455	A	F	B	BAQE	Brąz
96110179	TPE 80-170/4	3	380-480	50	4	1455	A	F	A	GQQE	Żeliwo szare
96110211	TPE 80-170/4	3	380-480	50	4	1455	A	F	B	GQQE	Brąz
96110212	TPE 80-240/4	3	380-480	50	5.5	1455	A	F	B	GQQE	Brąz
96110214	TPE 80-340/4	3	380-480	50	11	1460	A	F	B	GQQE	Brąz
96110184	TPE 80-90/4	3	380-480	50	1.5	1445	A	F	A	BQQE	Żeliwo szare
96110176	TPE 80-90/4	3	380-480	50	1.5	1445	A	F	A	GQQE	Żeliwo szare
96110177	TPE 80-110/4	3	380-480	50	2.2	1445	A	F	A	GQQE	Żeliwo szare
96110185	TPE 80-110/4	3	380-480	50	2.2	1445	A	F	A	BQQE	Żeliwo szare
96110186	TPE 80-150/4	3	380-480	50	3	1455	A	F	A	BQQE	Żeliwo szare
96110187	TPE 80-170/4	3	380-480	50	4	1455	A	F	A	BQQE	Żeliwo szare
96110188	TPE 80-240/4	3	380-480	50	5.5	1455	A	F	A	BQQE	Żeliwo szare
96110180	TPE 80-240/4	3	380-480	50	5.5	1455	A	F	A	GQQE	Żeliwo szare
96110190	TPE 80-340/4	3	380-480	50	11	1460	A	F	A	BQQE	Żeliwo szare
96110174	TPE 80-340/4	3	380-480	50	11	1460	A	F	A	BAQE	Żeliwo szare
96110182	TPE 80-340/4	3	380-480	50	11	1460	A	F	A	GQQE	Żeliwo szare
96110647	TPE 150-200/4	3	380-480	50	15	1460	A	F	B	BQQE	Brąz
96110648	TPE 150-220/4	3	380-480	50	18.5	1460	A	F	B	BQQE	Brąz
96110643	TPE 150-220/4	3	380-480	50	18.5	1460	A	F	B	GQQE	Brąz
96458903	TPE 25-90/2	1	200-240	50	0.25	2840	A	O	A	BUBE	Stal nierdzewna
96110560	TPE 125-130/4	3	380-480	50	5.5	1455	A	F	B	BQQE	Brąz
96110562	TPE 125-210/4	3	380-480	50	11	1460	A	F	B	BQQE	Brąz
96110557	TPE 125-320/4	3	380-480	50	18.5	1465	A	F	B	GQQE	Brąz
96110642	TPE 150-200/4	3	380-480	50	15	1460	A	F	B	GQQE	Brąz
96110637	TPE 150-200/4	3	380-480	50	15	1460	A	F	B	BAQE	Brąz
96110628	TPE 150-220/4	3	380-480	50	18.5	1460	A	F	A	BQQE	Żeliwo szare
96110638	TPE 150-220/4	3	380-480	50	18.5	1460	A	F	B	BAQE	Brąz
96306127	TPE 150-260/4	3	380-480	50	18.5	1465	A	F	A	BAQE	Żeliwo szare
96306295	TPE 150-260/4	3	380-480	50	18.5	1465	A	F	A	GQQE	Żeliwo szare
96306311	TPE 150-260/4	3	380-480	50	18.5	1465	A	F	B	GQQE	Brąz
96306303	TPE 150-260/4	3	380-480	50	18.5	1465	A	F	B	BQQE	Brąz
96306287	TPE 150-260/4	3	380-480	50	18.5	1465	A	F	A	BQQE	Żeliwo szare
96306135	TPE 150-260/4	3	380-480	50	18.5	1465	A	F	B	BAQE	Brąz
97927513	TPE 125-100/4	3	380-480	50	4	1450	A	F	A	GQQE	Żeliwo szare
96110553	TPE 125-130/4	3	380-480	50	5.5	1455	A	F	B	GQQE	Brąz
96110555	TPE 125-210/4	3	380-480	50	11	1460	A	F	B	GQQE	Brąz
96110556	TPE 125-250/4	3	380-480	50	15	1460	A	F	B	GQQE	Brąz
96110563	TPE 125-250/4	3	380-480	50	15	1460	A	F	B	BQQE	Brąz
96110564	TPE 125-320/4	3	380-480	50	18.5	1465	A	F	B	BQQE	Brąz
97927518	TPE 150-100/4	3	380-480	50	5.5	1450	A	F	A	GQQE	Żeliwo szare
97927517	TPE 150-140/4	3	380-480	50	7.5	1460	A	F	A	GQQE	Żeliwo szare
97927516	TPE 150-150/4	3	380-480	50	11	1470	A	F	A	GQQE	Żeliwo szare
96110627	TPE 150-200/4	3	380-480	50	15	1460	A	F	A	BQQE	Żeliwo szare
96110622	TPE 150-200/4	3	380-480	50	15	1460	A	F	A	GQQE	Żeliwo szare
96110617	TPE 150-200/4	3	380-480	50	15	1460	A	F	A	BAQE	Żeliwo szare
96110623	TPE 150-220/4	3	380-480	50	18.5	1460	A	F	A	GQQE	Żeliwo szare
96110618	TPE 150-220/4	3	380-480	50	18.5	1460	A	F	A	BAQE	Żeliwo szare
96458913	TPE 25-90/2	1	200-240	50	0.25	2840	A	O	A	BQQE	Stal nierdzewna
96458914	TPE 32-90/2	1	200-240	50	0.25	2830	A	O	A	BQQE	Stal nierdzewna
96458904	TPE 32-90/2	1	200-240	50	0.25	2830	A	O	A	BUBE	Stal nierdzewna
96535133	TPE 40-90/2	1	200-240	50	0.25	2830	A	F	A	BUBE	Stal nierdzewna
97927515	TPE 125-70/4	3	380-480	50	2.2	1450	A	F	A	GQQE	Żeliwo szare
97927514	TPE 125-90/4	3	380-480	50	3	1450	A	F	A	GQQE	Żeliwo szare
96899025	TPE 125-160/4	3	380-480	50	7.5	1455	A	F	A	GQQE	Żeliwo szare
97927523	TPE 200-50/4	3	380-480	50	4	1450	A	F	A	GQQE	Żeliwo szare
97927522	TPE 200-70/4	3	380-480	50	5.5	1450	A	F	A	GQQE	Żeliwo szare
97927521	TPE 200-90/4	3	380-480	50	7.5	1460	A	F	A	GQQE	Żeliwo szare
97927520	TPE 200-130/4	3	380-480	50	11	1470	A	F	A	GQQE	Żeliwo szare

97927519	TPE 200-150/4	3	380-480	50	15	1470	A	F	A	GQQE	Żeliwo szare
97927525	TPE 200-160/4	3	380-480	50	15	1470	A	F	A	GQQE	Żeliwo szare
97927524	TPE 200-190/4	3	380-480	50	18.5	1470	A	F	A	GQQE	Żeliwo szare
96458908	TPE 25-90/2	1	200-240	50	0.25	2840	A	O	A	GQQE	Stal nierdzewna
96458909	TPE 32-90/2	1	200-240	50	0.25	2830	A	O	A	GQQE	Stal nierdzewna
96535135	TPE 40-90/2	1	200-240	50	0.25	2830	A	F	A	GQQE	Stal nierdzewna
96535134	TPE 40-90/2	1	200-240	50	0.25	2830	A	F	A	BQQE	Stal nierdzewna
96898978	TPE 80-270/4	3	380-480	50	7.5	1450	A	F	A	GQQE	Żeliwo szare
96898977	TPE 80-270/4	3	380-480	50	7.5	1450	A	F	A	BAQE	Żeliwo szare
96110419	TPE 100-110/4	3	380-480	50	3	1455	A	F	B	BAQE	Brąz
96110420	TPE 100-130/4	3	380-480	50	4	1455	A	F	B	BAQE	Brąz
96110421	TPE 100-170/4	3	380-480	50	5.5	1455	A	F	B	BAQE	Brąz
96899006	TPE 100-200/4	3	380-480	50	7.5	1455	A	F	A	GQQE	Żeliwo szare
96899005	TPE 100-200/4	3	380-480	50	7.5	1455	A	F	A	BAQE	Żeliwo szare
96110405	TPE 100-370/4	3	380-480	50	18.5	1465	A	F	A	BQQE	Żeliwo szare
96899024	TPE 125-160/4	3	380-480	50	7.5	1455	A	F	A	BAQE	Żeliwo szare
96110550	TPE 125-320/4	3	380-480	50	18.5	1465	A	F	B	BAQE	Brąz
96110427	TPE 100-70/4	3	380-480	50	1.5	1445	A	F	B	GQQE	Brąz
96110417	TPE 100-70/4	3	380-480	50	1.5	1445	A	F	B	BAQE	Brąz
96110388	TPE 100-90/4	3	380-480	50	2.2	1445	A	F	A	GQQE	Żeliwo szare
96110428	TPE 100-90/4	3	380-480	50	2.2	1445	A	F	B	GQQE	Brąz
96110418	TPE 100-90/4	3	380-480	50	2.2	1445	A	F	B	BAQE	Brąz
96110429	TPE 100-110/4	3	380-480	50	3	1455	A	F	B	GQQE	Brąz
96110430	TPE 100-130/4	3	380-480	50	4	1455	A	F	B	GQQE	Brąz
96110391	TPE 100-170/4	3	380-480	50	5.5	1455	A	F	A	GQQE	Żeliwo szare
96110393	TPE 100-250/4	3	380-480	50	11	1460	A	F	A	GQQE	Żeliwo szare
96110423	TPE 100-250/4	3	380-480	50	11	1460	A	F	B	BAQE	Brąz
96110424	TPE 100-330/4	3	380-480	50	15	1460	A	F	B	BAQE	Brąz
96110394	TPE 100-330/4	3	380-480	50	15	1460	A	F	A	GQQE	Żeliwo szare
96110404	TPE 100-330/4	3	380-480	50	15	1460	A	F	A	BQQE	Żeliwo szare
96110425	TPE 100-370/4	3	380-480	50	18.5	1465	A	F	B	BAQE	Brąz
96110397	TPE 100-70/4	3	380-480	50	1.5	1445	A	F	A	BQQE	Żeliwo szare
96110398	TPE 100-90/4	3	380-480	50	2.2	1445	A	F	A	BQQE	Żeliwo szare
96110389	TPE 100-110/4	3	380-480	50	3	1455	A	F	A	GQQE	Żeliwo szare
96110399	TPE 100-110/4	3	380-480	50	3	1455	A	F	A	BQQE	Żeliwo szare
96110400	TPE 100-130/4	3	380-480	50	4	1455	A	F	A	BQQE	Żeliwo szare
96110390	TPE 100-130/4	3	380-480	50	4	1455	A	F	A	GQQE	Żeliwo szare
96110401	TPE 100-170/4	3	380-480	50	5.5	1455	A	F	A	BQQE	Żeliwo szare
96110403	TPE 100-250/4	3	380-480	50	11	1460	A	F	A	BQQE	Żeliwo szare
96110395	TPE 100-370/4	3	380-480	50	18.5	1465	A	F	A	GQQE	Żeliwo szare
96110527	TPE 125-210/4	3	380-480	50	11	1460	A	F	A	GQQE	Żeliwo szare
96110521	TPE 125-250/4	3	380-480	50	15	1460	A	F	A	BAQE	Żeliwo szare
96110528	TPE 125-250/4	3	380-480	50	15	1460	A	F	A	GQQE	Żeliwo szare
96110522	TPE 125-320/4	3	380-480	50	18.5	1465	A	F	A	BAQE	Żeliwo szare
96110529	TPE 125-320/4	3	380-480	50	18.5	1465	A	F	A	GQQE	Żeliwo szare
96110437	TPE 100-70/4	3	380-480	50	1.5	1445	A	F	B	BQQE	Brąz
96110438	TPE 100-90/4	3	380-480	50	2.2	1445	A	F	B	BQQE	Brąz
96110431	TPE 100-170/4	3	380-480	50	5.5	1455	A	F	B	GQQE	Brąz
96110433	TPE 100-250/4	3	380-480	50	11	1460	A	F	B	GQQE	Brąz
96110435	TPE 100-370/4	3	380-480	50	18.5	1465	A	F	B	GQQE	Brąz
96110525	TPE 125-130/4	3	380-480	50	5.5	1455	A	F	A	GQQE	Żeliwo szare
96110532	TPE 125-130/4	3	380-480	50	5.5	1455	A	F	A	BQQE	Żeliwo szare
96110546	TPE 125-130/4	3	380-480	50	5.5	1455	A	F	B	BAQE	Brąz
96110534	TPE 125-210/4	3	380-480	50	11	1460	A	F	A	BQQE	Żeliwo szare
96110548	TPE 125-210/4	3	380-480	50	11	1460	A	F	B	BAQE	Brąz
96110520	TPE 125-210/4	3	380-480	50	11	1460	A	F	A	BAQE	Żeliwo szare
96110535	TPE 125-250/4	3	380-480	50	15	1460	A	F	A	BQQE	Żeliwo szare
96110549	TPE 125-250/4	3	380-480	50	15	1460	A	F	B	BAQE	Brąz
96110536	TPE 125-320/4	3	380-480	50	18.5	1465	A	F	A	BQQE	Żeliwo szare
96096436	TPE 50-360/2	3	380-480	50	4	2920	A	F	A	BQQE	Żeliwo szare
96096437	TPE 50-430/2	3	380-480	50	5.5	2920	A	F	A	BQQE	Żeliwo szare
96096438	TPE 50-440/2	3	380-480	50	7.5	2910	A	F	A	BQQE	Żeliwo szare
96096431	TPE 50-830/2	3	380-480	50	18.5	2945	A	F	A	GQQE	Żeliwo szare
96096432	TPE 50-900/2	3	380-480	50	22	2945	A	F	A	GQQE	Żeliwo szare
96110079	TPE 80-210/2	3	380-480	50	4	2920	A	F	B	BAQE	Brąz
96110439	TPE 100-110/4	3	380-480	50	3	1455	A	F	B	BQQE	Brąz
96110440	TPE 100-130/4	3	380-480	50	4	1455	A	F	B	BQQE	Brąz
96110441	TPE 100-170/4	3	380-480	50	5.5	1455	A	F	B	BQQE	Brąz
96110443	TPE 100-250/4	3	380-480	50	11	1460	A	F	B	BQQE	Brąz
96110444	TPE 100-330/4	3	380-480	50	15	1460	A	F	B	BQQE	Brąz
96110434	TPE 100-330/4	3	380-480	50	15	1460	A	F	B	GQQE	Brąz
96110445	TPE 100-370/4	3	380-480	50	18.5	1465	A	F	B	BQQE	Brąz
96110518	TPE 125-130/4	3	380-480	50	5.5	1455	A	F	A	BAQE	Żeliwo szare
96096445	TPE 50-290/2	3	380-480	50	3	2910	A	F	B	BAQE	Brąz
96096415	TPE 50-290/2	3	380-480	50	3	2910	A	F	A	BAQE	Żeliwo szare
96096435	TPE 50-290/2	3	380-480	50	3	2910	A	F	A	BQQE	Żeliwo szare
96096416	TPE 50-360/2	3	380-480	50	4	2920	A	F	A	BAQE	Żeliwo szare

96096446	TPE 50-360/2	3	380-480	50	4	2920	A	F	B	BAQE	Brąz
96096447	TPE 50-430/2	3	380-480	50	5.5	2920	A	F	B	BAQE	Brąz
96096418	TPE 50-440/2	3	380-480	50	7.5	2910	A	F	A	BAQE	Żeliwo szare
96096419	TPE 50-570/2	3	380-480	50	11	2930	A	F	A	BAQE	Żeliwo szare
96096439	TPE 50-570/2	3	380-480	50	11	2930	A	F	A	BQQE	Żeliwo szare
96096420	TPE 50-710/2	3	380-480	50	15	2945	A	F	A	BAQE	Żeliwo szare
96096440	TPE 50-710/2	3	380-480	50	15	2945	A	F	A	BQQE	Żeliwo szare
96096430	TPE 50-710/2	3	380-480	50	15	2945	A	F	A	GQQE	Żeliwo szare
96096441	TPE 50-830/2	3	380-480	50	18.5	2945	A	F	A	BQQE	Żeliwo szare
96096442	TPE 50-900/2	3	380-480	50	22	2945	A	F	A	BQQE	Żeliwo szare
96096425	TPE 50-290/2	3	380-480	50	3	2910	A	F	A	GQQE	Żeliwo szare
96096426	TPE 50-360/2	3	380-480	50	4	2920	A	F	A	GQQE	Żeliwo szare
96096466	TPE 50-360/2	3	380-480	50	4	2920	A	F	B	BQQE	Brąz
96096417	TPE 50-430/2	3	380-480	50	5.5	2920	A	F	A	BAQE	Żeliwo szare
96096467	TPE 50-430/2	3	380-480	50	5.5	2920	A	F	B	BQQE	Brąz
96096427	TPE 50-430/2	3	380-480	50	5.5	2920	A	F	A	GQQE	Żeliwo szare
96096468	TPE 50-440/2	3	380-480	50	7.5	2910	A	F	B	BQQE	Brąz
96096428	TPE 50-440/2	3	380-480	50	7.5	2910	A	F	A	GQQE	Żeliwo szare
96096429	TPE 50-570/2	3	380-480	50	11	2930	A	F	A	GQQE	Żeliwo szare
96096469	TPE 50-570/2	3	380-480	50	11	2930	A	F	B	BQQE	Brąz
96096470	TPE 50-710/2	3	380-480	50	15	2945	A	F	B	BQQE	Brąz
96096421	TPE 50-830/2	3	380-480	50	18.5	2945	A	F	A	BAQE	Żeliwo szare
96096471	TPE 50-830/2	3	380-480	50	18.5	2945	A	F	B	BQQE	Brąz
96096422	TPE 50-900/2	3	380-480	50	22	2945	A	F	A	BAQE	Żeliwo szare
96096538	TPE 50-160/4	3	380-480	50	1.5	1445	A	F	A	GQQE	Żeliwo szare
96096534	TPE 50-160/4	3	380-480	50	1.5	1445	A	F	A	BAQE	Żeliwo szare
96096535	TPE 50-190/4	3	380-480	50	2.2	1450	A	F	A	BAQE	Żeliwo szare
96096539	TPE 50-190/4	3	380-480	50	2.2	1450	A	F	A	GQQE	Żeliwo szare
96096536	TPE 50-230/4	3	380-480	50	3	1455	A	F	A	BAQE	Żeliwo szare
96096540	TPE 50-230/4	3	380-480	50	3	1455	A	F	A	GQQE	Żeliwo szare
96096455	TPE 50-290/2	3	380-480	50	3	2910	A	F	B	GQQE	Brąz
96096465	TPE 50-290/2	3	380-480	50	3	2910	A	F	B	BQQE	Brąz
96096448	TPE 50-440/2	3	380-480	50	7.5	2910	A	F	B	BAQE	Brąz
96096449	TPE 50-570/2	3	380-480	50	11	2930	A	F	B	BAQE	Brąz
96096450	TPE 50-710/2	3	380-480	50	15	2945	A	F	B	BAQE	Brąz
96096451	TPE 50-830/2	3	380-480	50	18.5	2945	A	F	B	BAQE	Brąz
96096472	TPE 50-900/2	3	380-480	50	22	2945	A	F	B	BQQE	Brąz
96096452	TPE 50-900/2	3	380-480	50	22	2945	A	F	B	BAQE	Brąz
96096293	TPE 32-380/2	3	380-480	50	3	2910	A	F	A	BQQE	Żeliwo szare
96096288	TPE 32-380/2	3	380-480	50	3	2910	A	F	A	GQQE	Żeliwo szare
96096289	TPE 32-460/2	3	380-480	50	4	2920	A	F	A	GQQE	Żeliwo szare
96096284	TPE 32-460/2	3	380-480	50	4	2920	A	F	A	BAQE	Żeliwo szare
96096290	TPE 32-580/2	3	380-480	50	5.5	2920	A	F	A	GQQE	Żeliwo szare
96096285	TPE 32-580/2	3	380-480	50	5.5	2920	A	F	A	BAQE	Żeliwo szare
96096370	TPE 40-580/2	3	380-480	50	7.5	2910	A	F	B	BQQE	Brąz
96096456	TPE 50-360/2	3	380-480	50	4	2920	A	F	B	GQQE	Brąz
96096457	TPE 50-430/2	3	380-480	50	5.5	2920	A	F	B	GQQE	Brąz
96096458	TPE 50-440/2	3	380-480	50	7.5	2910	A	F	B	GQQE	Brąz
96096459	TPE 50-570/2	3	380-480	50	11	2930	A	F	B	GQQE	Brąz
96096460	TPE 50-710/2	3	380-480	50	15	2945	A	F	B	GQQE	Brąz
96096461	TPE 50-830/2	3	380-480	50	18.5	2945	A	F	B	GQQE	Brąz
96096462	TPE 50-900/2	3	380-480	50	22	2945	A	F	B	GQQE	Brąz
96096303	TPE 32-380/2	3	380-480	50	3	2910	A	F	B	GQQE	Brąz
96096298	TPE 32-380/2	3	380-480	50	3	2910	A	F	B	BAQE	Brąz
96096283	TPE 32-380/2	3	380-480	50	3	2910	A	F	A	BAQE	Żeliwo szare
96096299	TPE 32-460/2	3	380-480	50	4	2920	A	F	B	BAQE	Brąz
96096294	TPE 32-460/2	3	380-480	50	4	2920	A	F	A	BQQE	Żeliwo szare
96096304	TPE 32-460/2	3	380-480	50	4	2920	A	F	B	GQQE	Brąz
96096295	TPE 32-580/2	3	380-480	50	5.5	2920	A	F	A	BQQE	Żeliwo szare
96096300	TPE 32-580/2	3	380-480	50	5.5	2920	A	F	B	BAQE	Brąz
95046203	TPE 125-70/4	3	380-480	50	2.2	1450	A	F	A	BAQE	Żeliwo szare
95046202	TPE 125-90/4	3	380-480	50	3	1450	A	F	A	BAQE	Żeliwo szare
95046201	TPE 125-100/4	3	380-480	50	4	1450	A	F	A	BAQE	Żeliwo szare
95046212	TPE 150-100/4	3	380-480	50	5.5	1450	A	F	A	BAQE	Żeliwo szare
95046211	TPE 150-140/4	3	380-480	50	7.5	1460	A	F	A	BAQE	Żeliwo szare
95046210	TPE 150-150/4	3	380-480	50	11	1470	A	F	A	BAQE	Żeliwo szare
96096357	TPE 40-300/2	3	380-480	50	3	2910	A	F	B	BAQE	Brąz
96096362	TPE 40-300/2	3	380-480	50	3	2910	A	F	B	GQQE	Brąz
96096358	TPE 40-360/2	3	380-480	50	4	2920	A	F	B	BAQE	Brąz
96096354	TPE 40-470/2	3	380-480	50	5.5	2920	A	F	A	BQQE	Żeliwo szare
96096359	TPE 40-470/2	3	380-480	50	5.5	2920	A	F	B	BAQE	Brąz
96096355	TPE 40-580/2	3	380-480	50	7.5	2910	A	F	A	BQQE	Żeliwo szare
96096360	TPE 40-580/2	3	380-480	50	7.5	2910	A	F	B	BAQE	Brąz
95046223	TPE 200-50/4	3	380-480	50	4	1450	A	F	A	BAQE	Żeliwo szare
95046222	TPE 200-70/4	3	380-480	50	5.5	1450	A	F	A	BAQE	Żeliwo szare
95046221	TPE 200-90/4	3	380-480	50	7.5	1460	A	F	A	BAQE	Żeliwo szare
95046220	TPE 200-130/4	3	380-480	50	11	1470	A	F	A	BAQE	Żeliwo szare

95046219	TPE 200-150/4	3	380-480	50	15	1470	A	F	A	BAQE	Żeliwo szare
95046234	TPE 200-160/4	3	380-480	50	15	1470	A	F	A	BAQE	Żeliwo szare
95046233	TPE 200-190/4	3	380-480	50	18.5	1470	A	F	A	BAQE	Żeliwo szare
96096308	TPE 32-380/2	3	380-480	50	3	2910	A	F	B	BQQE	Braż
96096309	TPE 32-460/2	3	380-480	50	4	2920	A	F	B	BQQE	Braż
96096310	TPE 32-580/2	3	380-480	50	5.5	2920	A	F	B	BQQE	Braż
96096305	TPE 32-580/2	3	380-480	50	5.5	2920	A	F	B	GQQE	Braż
96096342	TPE 40-300/2	3	380-480	50	3	2910	A	F	A	BAQE	Żeliwo szare
96096367	TPE 40-300/2	3	380-480	50	3	2910	A	F	B	BQQE	Braż
96096343	TPE 40-360/2	3	380-480	50	4	2920	A	F	A	BAQE	Żeliwo szare
96096363	TPE 40-360/2	3	380-480	50	4	2920	A	F	B	GQQE	Braż
96096368	TPE 40-360/2	3	380-480	50	4	2920	A	F	B	BQQE	Braż
96096353	TPE 40-360/2	3	380-480	50	4	2920	A	F	A	BQQE	Żeliwo szare
96096344	TPE 40-470/2	3	380-480	50	5.5	2920	A	F	A	BAQE	Żeliwo szare
96096369	TPE 40-470/2	3	380-480	50	5.5	2920	A	F	B	BQQE	Braż
96096364	TPE 40-470/2	3	380-480	50	5.5	2920	A	F	B	GQQE	Braż
96096365	TPE 40-580/2	3	380-480	50	7.5	2910	A	F	B	GQQE	Braż
96096347	TPE 40-300/2	3	380-480	50	3	2910	A	F	A	GQQE	Żeliwo szare
96096352	TPE 40-300/2	3	380-480	50	3	2910	A	F	A	BQQE	Żeliwo szare
96096348	TPE 40-360/2	3	380-480	50	4	2920	A	F	A	GQQE	Żeliwo szare
96096349	TPE 40-470/2	3	380-480	50	5.5	2920	A	F	A	GQQE	Żeliwo szare
96096345	TPE 40-580/2	3	380-480	50	7.5	2910	A	F	A	BAQE	Żeliwo szare
96096350	TPE 40-580/2	3	380-480	50	7.5	2910	A	F	A	GQQE	Żeliwo szare
96096705	TPE 65-130/4	3	380-480	50	1.5	1445	A	F	B	BAQE	Braż
96096701	TPE 65-150/4	3	380-480	50	2.2	1450	A	F	A	BQQE	Żeliwo szare
96096706	TPE 65-150/4	3	380-480	50	2.2	1450	A	F	B	BAQE	Braż
96096702	TPE 65-170/4	3	380-480	50	3	1455	A	F	A	BQQE	Żeliwo szare
96096707	TPE 65-170/4	3	380-480	50	3	1455	A	F	B	BAQE	Braż
96096713	TPE 65-240/4	3	380-480	50	4	1455	A	F	B	GQQE	Braż
96096708	TPE 65-240/4	3	380-480	50	4	1455	A	F	B	BAQE	Braż
96096703	TPE 65-240/4	3	380-480	50	4	1455	A	F	A	BQQE	Żeliwo szare
96096690	TPE 65-130/4	3	380-480	50	1.5	1445	A	F	A	BAQE	Żeliwo szare
96096700	TPE 65-130/4	3	380-480	50	1.5	1445	A	F	A	BQQE	Żeliwo szare
96096710	TPE 65-130/4	3	380-480	50	1.5	1445	A	F	B	GQQE	Braż
96096715	TPE 65-130/4	3	380-480	50	1.5	1445	A	F	B	BQQE	Braż
96096691	TPE 65-150/4	3	380-480	50	2.2	1450	A	F	A	BAQE	Żeliwo szare
96096696	TPE 65-150/4	3	380-480	50	2.2	1450	A	F	A	GQQE	Żeliwo szare
96096711	TPE 65-150/4	3	380-480	50	2.2	1450	A	F	B	GQQE	Braż
96096716	TPE 65-150/4	3	380-480	50	2.2	1450	A	F	B	BQQE	Braż
96096712	TPE 65-170/4	3	380-480	50	3	1455	A	F	B	GQQE	Braż
96096630	TPE 65-410/2	3	380-480	50	7.5	2910	A	F	B	BQQE	Braż
96096631	TPE 65-460/2	3	380-480	50	11	2930	A	F	B	BQQE	Braż
96096632	TPE 65-550/2	3	380-480	50	15	2945	A	F	B	BQQE	Braż
96096633	TPE 65-660/2	3	380-480	50	18.5	2930	A	F	B	BQQE	Braż
96096634	TPE 65-720/2	3	380-480	50	22	2945	A	F	B	BQQE	Braż
96096695	TPE 65-130/4	3	380-480	50	1.5	1445	A	F	A	GQQE	Żeliwo szare
96096692	TPE 65-170/4	3	380-480	50	3	1455	A	F	A	BAQE	Żeliwo szare
96096697	TPE 65-170/4	3	380-480	50	3	1455	A	F	A	GQQE	Żeliwo szare
96096693	TPE 65-240/4	3	380-480	50	4	1455	A	F	A	BAQE	Żeliwo szare
96096698	TPE 65-240/4	3	380-480	50	4	1455	A	F	A	GQQE	Żeliwo szare
96110060	TPE 80-180/2	3	380-480	50	3	2910	A	F	A	BQQE	Żeliwo szare
96110061	TPE 80-210/2	3	380-480	50	4	2920	A	F	A	BQQE	Żeliwo szare
96110062	TPE 80-240/2	3	380-480	50	5.5	2920	A	F	A	BQQE	Żeliwo szare
96110055	TPE 80-330/2	3	380-480	50	11	2930	A	F	A	GQQE	Żeliwo szare
96110056	TPE 80-400/2	3	380-480	50	15	2945	A	F	A	GQQE	Żeliwo szare
96110057	TPE 80-520/2	3	380-480	50	18.5	2940	A	F	A	GQQE	Żeliwo szare
96110066	TPE 80-520/2	3	380-480	50	18.5	2940	A	F	A	BQQE	Żeliwo szare
96110067	TPE 80-570/2	3	380-480	50	22	2945	A	F	A	BQQE	Żeliwo szare
96110058	TPE 80-570/2	3	380-480	50	22	2945	A	F	A	GQQE	Żeliwo szare
96096717	TPE 65-170/4	3	380-480	50	3	1455	A	F	B	BQQE	Braż
96096718	TPE 65-240/4	3	380-480	50	4	1455	A	F	B	BQQE	Braż
96110042	TPE 80-180/2	3	380-480	50	3	2910	A	F	A	BAQE	Żeliwo szare
96110078	TPE 80-180/2	3	380-480	50	3	2910	A	F	B	BAQE	Braż
96110051	TPE 80-180/2	3	380-480	50	3	2910	A	F	A	GQQE	Żeliwo szare
96110052	TPE 80-210/2	3	380-480	50	4	2920	A	F	A	GQQE	Żeliwo szare
96110043	TPE 80-210/2	3	380-480	50	4	2920	A	F	A	BAQE	Żeliwo szare
96110044	TPE 80-240/2	3	380-480	50	5.5	2920	A	F	A	BAQE	Żeliwo szare
96110063	TPE 80-250/2	3	380-480	50	7.5	2910	A	F	A	BQQE	Żeliwo szare
96110045	TPE 80-250/2	3	380-480	50	7.5	2910	A	F	A	BAQE	Żeliwo szare
96110054	TPE 80-250/2	3	380-480	50	7.5	2910	A	F	A	GQQE	Żeliwo szare
96110046	TPE 80-330/2	3	380-480	50	11	2930	A	F	A	BAQE	Żeliwo szare
96110064	TPE 80-330/2	3	380-480	50	11	2930	A	F	A	BQQE	Żeliwo szare
96110065	TPE 80-400/2	3	380-480	50	15	2945	A	F	A	BQQE	Żeliwo szare
96096591	TPE 65-230/2	3	380-480	50	3	2910	A	F	A	GQQE	Żeliwo szare
96096629	TPE 65-340/2	3	380-480	50	5.5	2920	A	F	B	BQQE	Braż
96096584	TPE 65-340/2	3	380-480	50	5.5	2920	A	F	A	BAQE	Żeliwo szare
96096585	TPE 65-410/2	3	380-480	50	7.5	2910	A	F	A	BAQE	Żeliwo szare

96096595	TPE 65-460/2	3	380-480	50	11	2930	A	F	A	GQQE	Żeliwo szare
96096586	TPE 65-460/2	3	380-480	50	11	2930	A	F	A	BAQE	Żeliwo szare
96096596	TPE 65-550/2	3	380-480	50	15	2945	A	F	A	GQQE	Żeliwo szare
96096587	TPE 65-550/2	3	380-480	50	15	2945	A	F	A	BAQE	Żeliwo szare
96096588	TPE 65-660/2	3	380-480	50	18.5	2930	A	F	A	BAQE	Żeliwo szare
96096589	TPE 65-720/2	3	380-480	50	22	2945	A	F	A	BAQE	Żeliwo szare
96110053	TPE 80-240/2	3	380-480	50	5.5	2920	A	F	A	GQQE	Żeliwo szare
96110047	TPE 80-400/2	3	380-480	50	15	2945	A	F	A	BAQE	Żeliwo szare
96110048	TPE 80-520/2	3	380-480	50	18.5	2940	A	F	A	BAQE	Żeliwo szare
96110049	TPE 80-570/2	3	380-480	50	22	2945	A	F	A	BAQE	Żeliwo szare
96096550	TPE 50-160/4	3	380-480	50	1.5	1445	A	F	B	GQQE	Brąz
96096546	TPE 50-160/4	3	380-480	50	1.5	1445	A	F	B	BAQE	Brąz
96096542	TPE 50-160/4	3	380-480	50	1.5	1445	A	F	A	BQQE	Żeliwo szare
96096543	TPE 50-190/4	3	380-480	50	2.2	1450	A	F	A	BQQE	Żeliwo szare
96096555	TPE 50-190/4	3	380-480	50	2.2	1450	A	F	B	BQQE	Brąz
96096547	TPE 50-190/4	3	380-480	50	2.2	1450	A	F	B	BAQE	Brąz
96096544	TPE 50-230/4	3	380-480	50	3	1455	A	F	A	BQQE	Żeliwo szare
96096548	TPE 50-230/4	3	380-480	50	3	1455	A	F	B	BAQE	Brąz
96096556	TPE 50-230/4	3	380-480	50	3	1455	A	F	B	BQQE	Brąz
96096592	TPE 65-260/2	3	380-480	50	4	2920	A	F	A	GQQE	Żeliwo szare
96096583	TPE 65-260/2	3	380-480	50	4	2920	A	F	A	BAQE	Żeliwo szare
96096593	TPE 65-340/2	3	380-480	50	5.5	2920	A	F	A	GQQE	Żeliwo szare
96096594	TPE 65-410/2	3	380-480	50	7.5	2910	A	F	A	GQQE	Żeliwo szare
96096597	TPE 65-660/2	3	380-480	50	18.5	2930	A	F	A	GQQE	Żeliwo szare
96096554	TPE 50-160/4	3	380-480	50	1.5	1445	A	F	B	BQQE	Brąz
96096551	TPE 50-190/4	3	380-480	50	2.2	1450	A	F	B	GQQE	Brąz
96096552	TPE 50-230/4	3	380-480	50	3	1455	A	F	B	GQQE	Brąz
96096627	TPE 65-230/2	3	380-480	50	3	2910	A	F	B	BQQE	Brąz
96096618	TPE 65-230/2	3	380-480	50	3	2910	A	F	B	GQQE	Brąz
96096582	TPE 65-230/2	3	380-480	50	3	2910	A	F	A	BAQE	Żeliwo szare
96096628	TPE 65-260/2	3	380-480	50	4	2920	A	F	B	BQQE	Brąz
96096619	TPE 65-260/2	3	380-480	50	4	2920	A	F	B	GQQE	Brąz
96096620	TPE 65-340/2	3	380-480	50	5.5	2920	A	F	B	GQQE	Brąz
96096621	TPE 65-410/2	3	380-480	50	7.5	2910	A	F	B	GQQE	Brąz
96096614	TPE 65-550/2	3	380-480	50	15	2945	A	F	B	BAQE	Brąz
96096615	TPE 65-660/2	3	380-480	50	18.5	2930	A	F	B	BAQE	Brąz
96096616	TPE 65-720/2	3	380-480	50	22	2945	A	F	B	BAQE	Brąz
96096625	TPE 65-720/2	3	380-480	50	22	2945	A	F	B	GQQE	Brąz
96096600	TPE 65-230/2	3	380-480	50	3	2910	A	F	A	BQQE	Żeliwo szare
96096610	TPE 65-260/2	3	380-480	50	4	2920	A	F	B	BAQE	Brąz
96096601	TPE 65-260/2	3	380-480	50	4	2920	A	F	A	BQQE	Żeliwo szare
96096602	TPE 65-340/2	3	380-480	50	5.5	2920	A	F	A	BQQE	Żeliwo szare
96096611	TPE 65-340/2	3	380-480	50	5.5	2920	A	F	B	BAQE	Brąz
96096612	TPE 65-410/2	3	380-480	50	7.5	2910	A	F	B	BAQE	Brąz
96096603	TPE 65-410/2	3	380-480	50	7.5	2910	A	F	A	BQQE	Żeliwo szare
96096622	TPE 65-460/2	3	380-480	50	11	2930	A	F	B	GQQE	Brąz
96096604	TPE 65-460/2	3	380-480	50	11	2930	A	F	A	BQQE	Żeliwo szare
96096613	TPE 65-460/2	3	380-480	50	11	2930	A	F	B	BAQE	Brąz
96096623	TPE 65-550/2	3	380-480	50	15	2945	A	F	B	GQQE	Brąz
96096605	TPE 65-550/2	3	380-480	50	15	2945	A	F	A	BQQE	Żeliwo szare
96096624	TPE 65-660/2	3	380-480	50	18.5	2930	A	F	B	GQQE	Brąz
96096598	TPE 65-720/2	3	380-480	50	22	2945	A	F	A	GQQE	Żeliwo szare
96096609	TPE 65-230/2	3	380-480	50	3	2910	A	F	B	BAQE	Brąz
96096606	TPE 65-660/2	3	380-480	50	18.5	2930	A	F	A	BQQE	Żeliwo szare
96096607	TPE 65-720/2	3	380-480	50	22	2945	A	F	A	BQQE	Żeliwo szare

[www.saga.info.pl](http://www.saga.info.pl)

<http://www.saga.info.pl/Katalog/Producenci/Grundfos/Grundfos-TP-TPE-TPD-TPED/>

[biuro@saga.info.pl](mailto:biuro@saga.info.pl)

+48 509 892 560

+ 48 71 355 87 24